## **NAKHA**

No.: 2159907

G3

This Booklet contains 24 pages.

### Do not open this Test Booklet until you are asked to do so.

#### Important Instructions:

- The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on side-1 and side-2 carefully with blue/black ball point pen only.
- The test is of 3 hours duration and Test Booklet contains 180 questions. Each question carries 4 marks.
   For each correct response, the candidate will get 4 marks. For each incorrect response, one mark will be deducted from the total scores. The maximum marks are 720.
- Use Blue/Black Ball Point Pen only for writing particulars on this page/marking responses.
- 4. Rough work is to be done on the space provided for this purpose in the Test Booklet only.
- On completion of the test, the candidate must hand over the Answer Sheet to the invigilator before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.
- 6. The CODE for this Booklet is **G3**. Make sure that the CODE printed on **Side-2** of the Answer Sheet is the same as that on this Test Booklet. In case of discrepancy, the candidate should immediately report the matter to the Invigilator for replacement of both the Test Booklet and the Answer Sheet.
- 7. The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/Answer Sheet.
- 8. Use of white fluid for correction is NOT permissible on the Answer Sheet.
- 9. Each candidate must show on demand his/her Admit Card to the Invigilator.
- 10. No candidate, without special permission of the Superintendent or Invigilator, would leave his/her seat.
- 11. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign the Attendance Sheet twice. Cases where a candidate has not signed the Attendance Sheet second time will be deemed not to have handed over the Answer Sheet and dealt with as an unfair means case.
- 12. Use of Electronic/Manual Calculator is prohibited.
- 13. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Hall. All cases of unfair means will be dealt with as per Rules and Regulations of this examination.
- No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
- 15. The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.

Name of the Can	didate (in Capitals): P. MADHU SHRFF
Roll Number	: in figures _4106017007
	: in words four one zoro six your one souln zero your seven.
Centre of Examin	nation (in Capitals): KENDRIYA VIDVALAYA
Candidate's Sign	ature: P.MadW Shaw Invigilator's Signature:
Facsimile signatu	are stamp of
Centre Superinte	ndent:
	(9)

- 1. Identify the **wrong** statement with reference to transport of oxygen.
  - (1) Partial pressure of CO<sub>2</sub> can interfere with O<sub>2</sub> binding with haemoglobin.
  - (2) Higher H<sup>+</sup> conc. in alveoli favours the formation of oxyhaemoglobin.
  - (3) Low pCO<sub>2</sub> in alveoli favours the formation of oxyhaemoglobin.
  - (4) Binding of oxygen with haemoglobin is mainly related to partial pressure of O<sub>2</sub>.
- Which of the following refer to correct example(s) of organisms which have evolved due to changes in environment brought about by anthropogenic action?
  - (a) Darwin's Finches of Galapagos islands.
  - (b) Herbicide resistant weeds.
  - (c) Drug resistant eukaryotes.
  - (d) Man-created breeds of domesticated animals like dogs.
  - (1) (a) and (c)
  - (2) (b), (c) and (d)
  - (3) only (d)
  - (4) only (a)
- 3. Which of the following is **not** an inhibitory substance governing seed dormancy?
  - (1) Abscisic acid
  - (2) Phenolic acid
  - (3) Para-ascorbic acid
  - (4) Gibberellic acid
- 4. Match the following diseases with the causative organism and select the **correct** option.

	Colu	ımn -	I		Column - II
(a)	Typh	oid		(i)	Wuchereria
(b)	Pneu	ımonia	ı	(ii)	Plasmodium
(c)	Filar	riasis		(iii)	Salmonella
(d)	Mala	ıria		(iv)	Haemophilus
	(a)	(b)	(c)	(d)	
(1)	(iii)	(iv)	(i)	(ii)	
(2)	(ii)	(i)	(iii)	(iv)	
(3)	(iv)	(i)	(ii)	(iii)	<b>4</b> 0 103
(4)	(i)	(iii)	(ii)	(iv)	

- 5. Select the **correct** events that occur during inspiration.
  - (a) Contraction of diaphragm
  - (b) Contraction of external inter-costal muscles
  - (c) Pulmonary volume decreases
  - (d) Intra pulmonary pressure increases
  - (1) (c) and (d)
  - (2) (a), (b) and (d)
  - (3) only (d)
  - (4) (a) and (b)
  - 6. The oxygenation activity of RuBisCo enzyme in photorespiration leads to the formation of:
    - (1) 1 molecule of 3-C compound
    - (2) 1 molecule of 6-C compound
    - (3) 1 molecule of 4-C compound and 1 molecule of 2-C compound
    - (4) 2 molecules of 3-C compound
  - 7. In light reaction, plastoquinone facilitates the transfer of electrons from:
    - Cytb<sub>6</sub>f complex to PS-I
    - (2) PS-I to NADP+
    - (3) PS-I to ATP synthase
    - (4) PS-II to Cytb<sub>6</sub>f complex
  - 8. In gel electrophoresis, separated DNA fragments can be visualized with the help of:
    - (1) Ethidium bromide in UV radiation
    - (2) Acetocarmine in UV radiation
    - (3) Ethidium bromide in infrared radiation
    - (4) Acetocarmine in bright blue light
  - 9. The QRS complex in a standard ECG represents :
    - (1) Depolarisation of auricles
    - (2) Depolarisation of ventricles
    - (3) Repolarisation of ventricles
    - (4) Repolarisation of auricles

10.	The plant parts which consist of two generations -
	one within the other:

- (a) Pollen grains inside the anther
- (b) Germinated pollen grain with two male gametes
- (c) Seed inside the fruit
- (d) Embryo sac inside the ovule
- (1) (a), (b) and (c)
- (2) (c) and (d)
- (3) (a) and (d)
- (4) (a) only

## 11. The infectious stage of *Plasmodium* that enters the human body is:

- (1) Sporozoites
- (2) Female gametocytes
- (3) Male gametocytes
- (4) Trophozoites

#### Identify the incorrect statement.

- Sapwood is involved in conduction of water and minerals from root to leaf.
- (2) Sapwood is the innermost secondary xylem and is lighter in colour.
- (3) Due to deposition of tannins, resins, oils etc., heart wood is dark in colour.
- (4) Heart wood does not conduct water but gives mechanical support.

## 13. Flippers of Penguins and Dolphins are examples of:

- (1) Convergent evolution
- (2) Industrial melanism
- (3) Natural selection
- (4) Adaptive radiation

## 14. Identify the wrong statement with reference to the gene T that controls ABO blood groups.

- (1) A person will have only two of the three alleles.
- (2) When I<sup>A</sup> and I<sup>B</sup> are present together, they express same type of sugar.
- (3) Allele 'i' does not produce any sugar.
- (4) The gene (I) has three alleles.

- 15. Which of the following statements are true for the phylum-Chordata?
  - (a) In Urochordata notochord extends from head to tail and it is present throughout their life.
  - (b) In Vertebrata notochord is present during the embryonic period only.
  - (c) Central nervous system is dorsal and hollow.
  - (d) Chordata is divided into 3 subphyla : Hemichordata, Tunicata and Cephalochordata.
  - (1) (c) and (a)
  - (2) (a) and (b)
  - (3) (b) and (c)
  - (4) (d) and (c)

## 16. Presence of which of the following conditions in urine are indicative of Diabetes Mellitus?

- (1) Uremia and Renal Calculi
- (2) Ketonuria and Glycosuria
- (3) Renal calculi and Hyperglycaemia
- (4) Uremia and Ketonuria

#### 17. The first phase of translation is:

- (1) Recognition of DNA molecule
- (2) Aminoacylation of tRNA
- (3) Recognition of an anti-codon
- (4) Binding of mRNA to ribosome

#### 18. Ray florets have:

- (1) Superior ovary
- (2) Hypogynous ovary
- (3) Half inferior ovary
- (4) Inferior ovary

#### 19. The process of growth is maximum during:

- (1) Lag phase
- (2) Senescence
- (3) Dormancy
- (4) Log phase

20.	The roots that originate from the base of the stem
	are:

- (1) Primary roots
- (2) Prop roots
- (3) Lateral roots
- (4) Fibrous roots

## 21. In water hyacinth and water lily, pollination takes place by:

- (1) water currents only
- (2) wind and water
- (3) insects and water
- (4) insects or wind

## 22. Which of the following is put into Anaerobic sludge digester for further sewage treatment?

- (1) Floating debris
- (2) Effluents of primary treatment
- (3) Activated sludge
- (4) Primary sludge

## 23. Bilaterally symmetrical and acoelomate animals are exemplified by :

- (1) Platyhelminthes
- (2) Aschelminthes
- (3) Annelida
- (4) Ctenophora

#### 24. Identify the basic amino acid from the following.

- (1) Glutamic Acid
- (2) Lysine
- (3) Valine
- (4) Tyrosine

# 25. In which of the following techniques, the embryos are transferred to assist those females who cannot conceive?

- (1) GIFT and ZIFT
- (2) ICSI and ZIFT
- (3) GIFT and ICSI
- (4) ZIFT and IUT

- 26. Which of the following statements about inclusion bodies is incorrect?
  - These are involved in ingestion of food particles.
  - (2) They lie free in the cytoplasm.
  - (3) These represent reserve material in cytoplasm.
  - (4) They are not bound by any membrane.

## 27. Experimental verification of the chromosomal theory of inheritance was done by:

- (1) Sutton
- (2) Boveri
- (3) Morgan
- (4) Mendel

## 28. Select the option including all sexually transmitted diseases.

- (1) Gonorrhoea, Malaria, Genital herpes
- (2) AIDS, Malaria, Filaria
- (3) Cancer, AIDS, Syphilis
- (4) Gonorrhoea, Syphilis, Genital herpes

## 29. Which of the following statements is not correct?

- (1) The proinsulin has an extra peptide called C-peptide.
- (2) The functional insulin has A and B chains linked together by hydrogen bonds.
- (3) Genetically engineered insulin is produced in *E-Coli*.
- (4) In man insulin is synthesised as a proinsulin.

## 30. Which is the important site of formation of glycoproteins and glycolipids in eukaryotic cells?

- (1) Peroxisomes
- (2) Golgi bodies
- (3) Polysomes
- (4) Endoplasmic reticulum

31.	Match the following	columns	and	select	the
	correct option.				

	Col	umn -	I		Column - II
(a)		tridiu licum	m	(i)	Cyclosporin-A
(b)		hoderi sporui		(ii)	Butyric Acid
(c)		ascus oureus		(iii)	Citric Acid
(d)	Aspe	ergillu	s niger	(iv)	Blood cholesterol lowering agent
	(a)	(b)	<b>(c)</b>	(d)	
(1)	(ii)	(i)	(iv)	(iii)	
(2)	(i)	(ii)	(iv)	(iii)	
(3)	(iv)	(iii)	(ii)	(i)	
(4)	(iii)	(iv)	(ii)	(i)	

- **32.** Embryological support for evolution was disapproved by:
  - (1) Alfred Wallace
  - (2) Charles Darwin
  - (3) Oparin
  - (4) Karl Ernst von Baer
- **33.** The sequence that controls the copy number of the linked DNA in the vector, is termed:
  - (1) Ori site
  - (2) Palindromic sequence
  - (3) Recognition site
  - (4) Selectable marker
- 34. Which of the following is correct about viroids?
  - (1) They have free RNA without protein coat.
  - (2) They have DNA with protein coat.
  - (3) They have free DNA without protein coat.
  - (4) They have RNA with protein coat.
- 35. Montreal protocol was signed in 1987 for control of:
  - (1) Emission of ozone depleting substances
  - (2) Release of Green House gases
  - (3) Disposal of e-wastes
  - (4) Transport of Genetically modified organisms from one country to another

- 36. The number of substrate level phosphorylations in one turn of citric acid cycle is:
  - (1) One
  - (2) Two
  - (3) Three
  - (4) Zero
- 37. Which of the following hormone levels will cause release of ovum (ovulation) from the graffian follicle?
  - (1) High concentration of Progesterone
  - (2) Low concentration of LH
  - (3) Low concentration of FSH
  - (4) High concentration of Estrogen
- 38. Select the correct match.
  - (1) Phenylketonuria Autosomal dominant trait
  - (2) Sickle cell anaemia Autosomal recessive trait, chromosome-11
  - (3) Thalassemia X linked
  - (4) Haemophilia Ylinked
- 39. Cuboidal epithelium with brush border of microvilli is found in:
  - (1) ducts of salivary glands
  - (2) proximal convoluted tubule of nephron
  - (3) eustachian tube
  - (4) lining of intestine
- 40. Snow-blindness in Antarctic region is due to:
  - (1) Inflammation of cornea due to high dose of UV-B radiation
  - (2) High reflection of light from snow
  - (3) Damage to retina caused by infra-red rays
  - (4) Freezing of fluids in the eye by low temperature
- 41. Which of the following pairs is of unicellular algae?
  - (1) Gelidium and Gracilaria
  - (2) Anabaena and Volvox
  - (3) Chlorella and Spirulina
  - (4) Laminaria and Sargassum

- 42. The transverse section of a plant shows following anatomical features:
  - (a) Large number of scattered vascular bundles surrounded by bundle sheath.
  - (b) Large conspicuous parenchymatous ground tissue.
  - (c) Vascular bundles conjoint and closed.
  - (d) Phloem parenchyma absent.

Identify the category of plant and its part:

- (1) Monocotyledonous root
- (2) Dicotyledonous stem
- (3) Dicotyledonous root
- (4) Monocotyledonous stem
- 43. How many true breeding pea plant varieties did Mendel select as pairs, which were similar except in one character with contrasting traits?
  - (1) 2
  - (2) 14
  - (3) 8
  - (4) 4
- 44. Floridean starch has structure similar to:
  - Amylopectin and glycogen
  - (2) Mannitol and algin
  - (3) Laminarin and cellulose
  - (4) Starch and cellulose
- 45. Identify the correct statement with regard to G<sub>1</sub> phase (Gap 1) of interphase.
  - Reorganisation of all cell components takes place.
  - (2) Cell is metabolically active, grows but does not replicate its DNA.
  - (3) Nuclear Division takes place.
  - (4) DNA synthesis or replication takes place.
- 46. By which method was a new breed 'Hisardale' of sheep formed by using Bikaneri ewes and Marino rams?
  - (1) Mutational breeding
  - (2) Cross breeding
  - (3) Inbreeding
  - (4) Out crossing

- 47. Identify the wrong statement with reference to immunity.
  - (1) When ready-made antibodies are directly given, it is called "Passive immunity".
  - (2) Active immunity is quick and gives full response.
  - (3) Foetus receives some antibodies from mother, it is an example for passive immunity.
  - (4) When exposed to antigen (living or dead) antibodies are produced in the host's body. It is called "Active immunity".
- 48. The specific palindromic sequence which is recognized by EcoRI is:
  - (1) 5' GGAACC 3'
    - 3' CCTTGG 5'
  - (2) 5' CTTAAG 3'
    - 3' GAATTC 5'
  - (3) 5' GGATCC 3'
    - 3' CCTAGG 5'
  - (4) 5' GAATTC 3'
    - 3' CTTAAG 5'
- 49. If the distance between two consecutive base pairs is 0.34 nm and the total number of base pairs of a DNA double helix in a typical mammalian cell is  $6.6 \times 10^9$  bp, then the length of the DNA is approximately:
  - (1) 2.5 meters
  - (2) 2.2 meters
  - (3) 2.7 meters
  - (4) 2.0 meters
- 50. If the head of cockroach is removed, it may live for few days because:
  - the cockroach does not have nervous system.
  - (2) the head holds a small proportion of a nervous system while the rest is situated along the ventral part of its body.
  - (3) the head holds a 1/3<sup>rd</sup> of a nervous system while the rest is situated along the dorsal part of its body.
  - (4) the supra-oesophageal ganglia of the cockroach are situated in ventral part of abdomen.

								7							$G_3$
51.							rrect species	56.	Mat	ch the	followi	ng:			
	exan	The state of the s	•		cosyst	em.			(a)	Inhi	bitor o	f cataly	ytic	(i)	Ricin
	(a)	Four	th trop	ohic le	vel	(i)	Crow			activ	30000				
	<b>(b)</b>	Seco	nd trop	hic le	vel	(ii)	Vulture		(b)			otide b		(ii)	Malonate
	(c)	First	First trophic level			(iii)	Rabbit		(c)	Cell fung		ateria	ıl in	(iii)	Chitin-
	(d)	Thir	d tropl	nic leve	el	(iv)	Grass		(d)	222.20		metab	olite	(iv)	Collagen
	95333		correc			()			Cho	ose the	corre	ct opt	ion fro	m the	following:
		(a)	(b)	(c)	(d)					(a)	(b)	(c)	(d)		
	(1)	(iii)	(ii)	(i)	(iv)				(1)	(iii)	(i)	(iv)	(ii)		
	(2)	(iv)	(iii)	(ii)	(i)				(2)	(iii)	(iv)	(i)	(ii)		
	(3)	(i)	(ii)	(iii)	(iv)				(3) (4)	(ii) (ii)	(iii) (iv)	(i) (iii)	(iv) (i)		
	(4)	(ii)	(iii)	(iv)	(i)										11.00
	``	. ,	, ,	N-1.2				57.	from		ls of a	limen	tary c	anal a	re modified
<b>52.</b>	The	enzym	e ente	rokina	se help	s in co	nversion of :		(1)	TO 10	mnar	epithe	lial cel	ls	
	(1)				trypsin	ľ			(2)	Chor	ndrocy	tes			
	<b>(2)</b>		inogen						(3)			170	elial cel		
	(3)	7. E. S. C. E. S. C.	inogen	75	56				(4)	Squa	amous	epithe	lial cel	ls	
	(4)	protein into polypeptides						58.		ch the		wing	colum	ns an	d select the
53.		tify the <b>correct</b> statement with reference to an digestive system.					*			ımn -		<i>m</i>		ımn - II	
	(1)		osa is entary			nost l	ayer of the		(a)	6 - 1: gill s	5 pairs lits	of	(i)	Tryg	on
	(2)	Ileu	m is a l	nighly	coiled	part.			(b)	Hete	rocerc	al	(ii)	Cycle	ostomes
	(3)	Verr	niform	appen	dix aris	ses from	n duodenum.			caud	al fin				
	(4)	Ileu	m open	s into	small i	ntesti	ne.		(c)	Air I	Bladde:	r	(iii)	Chor	ndrichthyes
e 1	N	41	-14		.1		_1.1		(d)	Pois	on stin	g	(iv)	Oste	ichthyes
54.							which upon		/=\	(a)	(b)	(c)	(d)		
	of st	tem, th					of sugarcane		(1) (2)	(iii)	(iv)	(i)	(ii)		
	crop								(3)	(iv) (i)	(ii) (iv)	(iii) (iii)	(i) (ii)		
	(1)		erellin	L					(4)	(ii)	(iii)	(iv)	(i)		
	(2)	-	lene					59.	Dies	colution	n of th	o owno	ntono	mal ab	mplex occurs
	(3)		cisic ac	ıd				00.	duri		ii oi tii	e syma	ptone	mai co	inplex occurs
	(4)	Cyto	kinin						(1)	Zygo	tene				
55.	Ider	ntify t	he wr	ong s	tateme	nt wi	th regard to		(2)		otene				
	Rest	triction	Enzyı	mes.					(3)	-	otene				
	(1)	The sites		ne stra	nd of I	)NA at	palindromic	60.	(4) Nan		nytene enzvm	e that	facilita	ites ope	ening of DNA
	(2)	The	y are u	seful i	n gene	tic eng	ineering.			x durir				•	
	(3)	Stic liga		ls can	be joi	ned by	using DNA		(1) (2)		A helic A polyr	ase nerase	I E		
	(4)	100		trictio	n enz	yme f	unctions by		(3)			nerase			
	atvell.						A sequence.		(4)	DNA	A ligas	е			

61.	Whic	h of th	e follo	wing s	tateme	nts is correct?	65.			ollowin unction	-		essen	tial elements
	(1)			irs wi	th thyi	mine through one	1	(a)	Iron		(i)		olysis	of water
		H-bo	nd.					(b)	Zinc		(ii)	Polle	n gern	nination
	(2)	Aden H-bo	100 to 10	irs wit	h thym	ine through three		(c) Boron			(iii)		ired fo nthesi	r chlorophyll s
	(3)	Aden	ine do	es not	pair wi	th thymine.		(d)	Man	ganese	(iv)	IAA l	oiosynt	thesis
		Adon	ine ne	ire wi	th thu	mine through two		Sele	ct the c	correc	<b>t</b> optic	n:		
	(4)	H-bo		ins wi	tii tiiyi	mme timough two			(a)	(b)	(c)	(d)		
								(1)	(iv)	(iii)	(ii)	(i)		
62.	Whic	h of th	e follos	ving re	gions o	f the globe exhibits		(2)	(iii)	(iv)	(ii)	(i)		
· ·		est spe		1		tine Bross cirration		(3)	(iv)	(i)	(ii)	(iii)		
	(1)	Mada	agasca	r				(4)	(ii)	(i)	(iv)	(iii)		
	(2)	Hima	alayas				66.		ch of th esis ?	e follov	ving w	ould h	elp in p	prevention of
	(3)	Ama	zon for	ests				(1)		sorptio				er from renal
	(4)	West	ern G	hats of	India			(2)		al n		retic	fact	or causes
63.	Mat	ch the following columns and				s and select the		(3)	Decrease in secretion of renin by JG cells					
00.		ect option.						(4)	Mor	e wa	ter	reabso	rptio	n due to
		Column - I			Column - II			unde	ersecre	tion of	ADH			
	(a)		itary g		(i)	Grave's disease	67.		otic di		of t	ne sec	ondaı	y oocyte is
	4.	m	.,,		···	D: 1		(1)		ne time	of cop	ulation	1	
	(b)	Thyr	oid gla	ınd	(ii)	Diabetes mellitus		(2) After zygote formation						
	(c)	Adre	nal gla	ind	(iii)	Diabetes insipidus		(3)	At the ovum		e of fu	sion o	f a sp	erm with an
	(d)	Pano	reas	546	(iv)	Addison's disease		(4)	Prior	r to ovu	lation	i		
		(a)	(b)	(c)	(d)		68.	Mat	ch the	follos	ving (	columi	ns an	d select the
	<b>(1)</b>	(iii)	(ii)	(i)	(iv)				ect op				ac un	a sereet the
	(2)	(iii)	(i)	(iv)	(ii)				Colu	ımn - l	[		Co	lumn - II
	(3)	(ii)	(i)	(iv)	(iii)	14		(a)	Greg pest	garious	polyp	hagou	s (i)	Asterias
	(4)	(iv)	(iii)	(i)	(ii)		·.	(b)	sym	lt with metry a	and la	rva	(ii)	Scorpion
64.	The	produc	t(s) of r	eaction	n cataly	zed by nitrogenase	¥3	(-)		bilater	al syn	ametry		
	in ro	ot nod	ules of	legum	inous	olants is/are :		(c) (d)		lungs imines			(iii)	Ctenoplana
	(1)	Nitra	ate alo	ne				(u)	(a)	(b)	(c)	(d)	(iv)	Locusta
	(2)	Amn	nonia a	nd oxy	gen			(1)	(iv)	(i)	(ii)	(iii)		
				•			ļ	(2)	(iii)	(ii)	(i)	(iv)		
	(3)	Amn	ionia a	ind hy	drogen			(3)	(ii)	(i)	(iii)	(iv)		
	<b>(4)</b>	Amn	ionia a	lone				(4)	(i)	(iii)	(ii)	(iv)		

							ð						Go
69.	Match the following columns and select the correct option.							Mate		- <del></del>	sm wit	h its u	se in biotechnology.
		-	ımn -	I		Column - II		(a)	Baci thur	llus ingien	sis	(i)	Cloning vector
14.	(a)		ting R	ibs	(i)	Located between second and seventh ribs		(b)	The	rmus aticus		(ii)	Construction of first rDNA molecule
	(b)		Acromion (ii)			Head of the Humerus		(c)		Agrobacterium		(iii)	DNA polymerase
	(c)	Scap	ula		(iii)	Clavicle			tume	efacien	s		
	(d)	Glenoid cavity (iv)				Do not connect with the sternum		(d)	Salmonella typhimurium			(iv)	Cry proteins
		(a)	<b>(b)</b>	<b>(c)</b>	(d)			Selec	t the	correc	t opti	on from	the following:
	<b>(1)</b>	(i)	(iii)	(ii)	(iv)				(a)	(b)	(c)	(d)	
	<b>(2)</b>	(iii)	(ii)	(iv)	(i)			(1)		55 1545 155 16		18 1972	
	(3)	(iv)	(iii)	(i)	(ii)	•		(1)	(iv)	(iii)	(i)	(ii)	
	<b>(4)</b>	(ii)	(iv)	(i)	(iii)			<b>(2)</b>	(iii)	(ii)	(iv)	(i)	
70.						nicotine, strychnine		(3)	(iii)	(iv)	(i)	(ii)	
					ed by p	lants for their :		<b>(4)</b>	(ii)	(iv)	(iii)	(i)	
	(1)		th res										
	(2) (3)		nce act t on re		otion		74.						developed by the cillus thuringiensis
	(4)		itive v		cuon					stant to		e or Da	ciiias inaringiensis
71	120.000 00				<b>.</b>			(1)	Fung	gal dise	ases		
71.		ect op		wing o	colum	ns and select the		(2)	Plan	t nema	todes		
		Colu	<b>mn</b> - 1	ľ		Column - II		(3) Insect predators					
	(a)	Bt co	tton		(i)	Gene therapy		(4)	Insec	t pests	3		
	(b)	Aden deam	osine inase		(ii)	Cellular defence	75.	Choo	se the	corre	ct pair	from	the following :
		defici	ency					<b>(1)</b>	Polyr	nerase	8 -	Break	k the DNA into
	(c)	RNA	i		(iii)	Detection of HIV infection		(2)	Nucle	eases	-	fragn	nents rate the two strands
	(d)	PCR			(iv)	Bacillus thuringiensis						of DN	IA.
		(a)	(b)	(c)	(d)	J		(3)	Exon	ucleas	es -		cuts at specific
	(1)	(iii)	(ii)	(i)	(iv)							positi	ons within DNA
	(2)	(ii)	(iii)	(iv)	(i)			(4)	Ligas	ses	•	Join t	the two DNA
	(3)	(i)	(ii)	(iii)	(iv)							molec	cules
	<b>(4)</b>	(iv)	(i)	(ii)	(iii)		76.						AND CONTRACTOR OF CANADA
72.	From his experiments, S.L. Miller produced amino acids by mixing the following in a closed flask:							The bat:	ody of	f the o	vule is	fused	within the funicle
	(1)	550	areas The		No. 10.0000	r vapor at 800°C		(1)	Micro	pyle			
	(2)		_			r vapor at 600°C		(2)	Nuce	llus			
	(3)			_		r vapor at 600°C		(3) Chalaza					
	(4)			_		r vapor at 800°C		(4)	Hilur	n			

77.	Stro	bili or	cones	are fou	ınd in :		81.		ch the		wing	colum	ns and select the	
	(1)	Pter	is					COLI		umn -	ī		Column - II	
	(2)	Mar	chantie	ı				(a)	Plac		-	(i)	Androgens	
	(3)	Equi	isetum					(b)		pellu	rida	(ii)	Human Chorionic	
	(4)	Salv		•	•			(-)				(/	Gonadotropin (hCG)	
78.		ch the ect op		wing (	colum	ns and select the		(c)		o-uret	hral	(iii)	Layer of the ovum	
		Colu	Column - I			Column - II		<b>(1</b> )	glan		Z.	(i)	I	
	(a)	Eosi	Eosinophils (i)			Immune response		(a)					Lubrication of the Penis	
	(b)	Baso	Basophils (ii)			Phagocytosis			(a)	(b)	(c)	(d)		
	(c)	Neur	trophil	s	(iii)	Release		<b>(1)</b>	(i)	(iv)	(ii)	(iii)		
	(-)					histaminase,		(2)	(iii)	(ii)	(iv)	(i)		
						destructive	1	(3)	(ii)	(iii)	(iv)	(i)		
						enzymes		(4)	(iv)	(iii)	(i)	(ii)		
	(d)					Release granules	82.				lowing	is no	t an attribute of a	
	(4)	Lymphocytes (IV)			(21)	containing	population? (1) Natality							
						histamine		(2)		Mortality				
			<i>a</i> \		<b>( 1</b> )	motamine		(3)		ies int	aractic	m		
		(a)	(b)	(c)	(d)			(4)	Sex		eracuo	11		
	(1)	(iv)	(i)	(ii)	(iii)						_			
	(2)	(i)	(ii)	(iv)	(iii)		83.		ch the r <b>ect</b> op		wing	colum	ns and select the	
	(3)	(ii)	(i)	(iii)	(iv)				Col	umn -	I		Column - II	
	(4)	(iii)	(iv)	(ii)	(i)			(a)	Orga	an of C	orti	(i)	Connects middle	
79.						glycosidic bond and							ear and pharynx	
				-	ely in t	heir structure :	l					Coiled part of the labyrinth		
	(1) (2)	2	erol, ti	rypsin ecithir			1	(c)	Eust	achiar	ı tube	(iii)	Attached to the	
	(3)		in, ins		•			700T80				2 2	oval window	
	(4)			lestero	ol		Ī	(d)	Stap	es		(iv)	Located on the	
	(-)		,		-								basilar	
<b>80.</b>						roductivity and Net				4.			membrane	
	_					osystem, which one correct?		(1)	(a)	(b)	(c)	(d)		
								(1) (2)	(iii) (iv)	(i) (ii)	(iv) (i)	(ii) (iii)		
	(1)					vity is always more ctivity.		(3)	(i)	(ii)	(iv)	(iii)		
	(2)				92.75 12.75 100 100 100	ity and Net primary		(4)	(ii)	(iii)	(i)	(iv)		
	(2)					d same.	0.4		200	200 20				
	(3) There is no relationship between Gross				84.		ch one ein in 1				the most abundant			
	primary productivity and Net primary				(1)	Colla			• 6					
	productivity.				(2)	Lect								
	(4)	Gros	ss prin	ary p	roduct	ivity is always less		(3)	Insu					
			_			ctivity.		(4)		moglob	in			

(4)

Haemoglobin

- 85. Match the following with respect to meiosis:
  - (a) Zygotene
- (i) Terminalization
- (b) Pachytene
- (ii) Chiasmata
- (c) Diplotene
- . .
- (c) Diplotene
- (iii) Crossing over
- (d) Diakinesis (iv)
- Synapsis

Select the correct option from the following:

- (a)
- (b)
- (c) (d)
- (1) (iv)
- (iii)
- (ii) (i)
- (2) (i)
- (ii) (
- (iv) (iii)
- (3) (ii)
- (iv)
- (iii)
- (4) (iii)
- (iv)
- (i) (ii)


(i)

- 86. According to Robert May, the global species diversity is about:
  - (1) 20 million
  - (2) 50 million
  - (3) 7 million
  - (4) 1.5 million
- 87. The ovary is half inferior in:
  - (1) Mustard
  - (2) Sunflower
  - (3) Plum
  - (4) Brinjal
- 88. Select the correct statement.
  - (1) Glucagon is associated with hypoglycemia.
  - Insulin acts on pancreatic cells and adipocytes.
  - (3) Insulin is associated with hyperglycemia.
  - (4) Glucocorticoids stimulate gluconeogenesis.
- 89. The process responsible for facilitating loss of water in liquid form from the tip of grass blades at night and in early morning is:
  - (1) Root pressure
  - (2) Imbibition
  - (3) Plasmolysis
  - (4) Transpiration

- 90. Some dividing cells exit the cell cycle and enter vegetative inactive stage. This is called quiescent stage  $(G_0)$ . This process occurs at the end of:
  - (1) G<sub>1</sub> phase
  - (2) Sphase
  - (3) G<sub>2</sub> phase
  - (4) M phase
- 91. The phase difference between displacement and acceleration of a particle in a simple harmonic motion is:
  - (1)  $\frac{3\pi}{2}$  rad
  - (2)  $\frac{\pi}{2}$  rad
  - (3) zero
  - (4)  $\pi$  rad
- 92. A long solenoid of 50 cm length having 100 turns carries a current of 2.5 A. The magnetic field at the centre of the solenoid is:

$$(\mu_0 = 4\pi \times 10^{-7} \text{ T m A}^{-1})$$

- (1)  $3.14 \times 10^{-4} \text{ T}$
- (2)  $6.28 \times 10^{-5} \,\mathrm{T}$
- (3)  $3.14 \times 10^{-5} \,\mathrm{T}$
- (4)  $6.28 \times 10^{-4} \,\mathrm{T}$
- 93. Two bodies of mass 4 kg and 6 kg are tied to the ends of a massless string. The string passes over a pulley which is frictionless (see figure). The acceleration of the system in terms of acceleration due to gravity (g) is:



- (1) g/2
- (2) g/5
- (3) g/10
- (4) g
- 94. The ratio of contributions made by the electric field and magnetic field components to the intensity of an electromagnetic wave is: (c=speed of electromagnetic waves)
  - (1) 1:1
  - (2) 1:c
  - (3)  $1:c^2$
  - (4) c:1

- 95. In a certain region of space with volume 0.2 m³, the electric potential is found to be 5 V throughout. The magnitude of electric field in this region is:
  - (1) 0.5 N/C
  - (2) 1 N/C
  - (3) 5 N/C
  - (4) zero
- 96. The average thermal energy for a mono-atomic gas is :  $(k_B \text{ is Boltzmann constant and } T, \text{ absolute temperature})$ 
  - $(1) \qquad \frac{3}{2} \, k_B T$
  - (2)  $\frac{5}{2} k_B T$
  - $(3) \qquad \frac{7}{2} \, k_B T$
  - (4)  $\frac{1}{2} k_B T$
- 97. Find the torque about the origin when a force of  $3\hat{j}$  N acts on a particle whose position vector is  $2\hat{k}$  m.
  - (1)  $6\hat{j}$  N m
  - (2)  $-6\hat{i}$  N m
  - (3)  $6\hat{k}$  N m
  - (4)  $6\hat{i}$  N m
- 98. The mean free path for a gas, with molecular diameter d and number density n can be expressed as:
  - $(1) \qquad \frac{1}{\sqrt{2} \ n\pi d^2}$
  - (2)  $\frac{1}{\sqrt{2} n^2 \pi d^2}$
  - (3)  $\frac{1}{\sqrt{2} n^2 \pi^2 d^2}$
  - $(4) \qquad \frac{1}{\sqrt{2} \, n\pi d}$
- 99. The energy equivalent of  $0.5\,\mathrm{g}$  of a substance is :
  - (1)  $4.5 \times 10^{13} \,\mathrm{J}$
  - (2)  $1.5 \times 10^{13} \,\mathrm{J}$
  - (3)  $0.5 \times 10^{13} \,\mathrm{J}$
  - (4)  $4.5 \times 10^{16} \,\mathrm{J}$

100. A screw gauge has least count of 0.01 mm and there are 50 divisions in its circular scale.

The pitch of the screw gauge is:

- (1) 0.25 mm
- (2) 0.5 mm
- (3) 1.0 mm
- (4) 0.01 mm
- 101. Two cylinders A and B of equal capacity are connected to each other via a stop cock. A contains an ideal gas at standard temperature and pressure. B is completely evacuated. The entire system is thermally insulated. The stop cock is suddenly opened. The process is:
  - (1) adiabatic
  - (2) isochoric
  - (3) isobaric
  - (4) isothermal
- **102.** A cylinder contains hydrogen gas at pressure of 249 kPa and temperature 27°C.

Its density is:  $(R = 8.3 \text{ J mol}^{-1} \text{ K}^{-1})$ 

- (1)  $0.2 \text{ kg/m}^3$
- (2)  $0.1 \text{ kg/m}^3$
- (3)  $0.02 \text{ kg/m}^3$
- (4)  $0.5 \text{ kg/m}^3$
- 103. When a uranium isotope  $^{235}_{92}{\rm U}$  is bombarded with a neutron, it generates  $^{89}_{36}{\rm Kr}$ , three neutrons and :
  - (1)  $^{91}_{40}$ Zr
  - (2)  $^{101}_{36}$ Kr
  - (3)  $^{103}_{36}$ Kr
  - (4) 144 Ba
- 104. A charged particle having drift velocity of  $7.5\times10^{-4}$  m s<sup>-1</sup> in an electric field of  $3\times10^{-10}$  Vm<sup>-1</sup>, has a mobility in m<sup>2</sup> V<sup>-1</sup> s<sup>-1</sup> of:
  - (1)  $2.5 \times 10^6$
  - (2)  $2.5 \times 10^{-6}$
  - (3)  $2.25 \times 10^{-15}$
  - (4)  $2.25 \times 10^{15}$
- 105. Taking into account of the significant figures, what is the value of 9.99 m 0.0099 m?
  - (1) 9.98 m
  - (2) 9.980 m
  - (3) 9.9 m
  - (4) 9.9801 m

106. An iron rod of susceptibility 599 is subjected to a magnetising field of 1200 A m-1. permeability of the material of the rod is:


$$(\mu_0 = 4\pi \times 10^{-7} \text{ T m A}^{-1})$$

- $8.0 \times 10^{-5} \, \text{T m A}^{-1}$
- $2.4\pi \times 10^{-5} \text{ T m A}^{-1}$ (2)
- $2.4\pi \times 10^{-7} \text{ T m A}^{-1}$ (3)
- $2.4\pi \times 10^{-4} \text{ T m A}^{-1}$ (4)
- 107. A spherical conductor of radius 10 cm has a charge of  $3.2 \times 10^{-7}$  C distributed uniformly. What is the magnitude of electric field at a point 15 cm from the centre of the sphere?

$$\left(\frac{1}{4\pi\epsilon_0} = 9 \times 10^9 \text{ N m}^2/\text{C}^2\right)$$

- $1.28 \times 10^{5} \text{ N/C}$
- $1.28 \times 10^6 \,\text{N/C}$ (2)
- $1.28 \times 10^7 \text{ N/C}$ (3)
- $1.28 \times 10^4 \text{ N/C}$ (4)
- 108. A series LCR circuit is connected to an ac voltage source. When L is removed from the circuit, the phase difference between current and voltage is  $\frac{\pi}{3}$ . If instead C is removed from the circuit, the phase difference is again  $\frac{\pi}{3}$  between current and voltage. The power factor of the circuit is:
  - (1) 0.5
  - (2)1.0
  - (3)-1.0
  - (4) zero
- A capillary tube of radius r is immersed in water and water rises in it to a height h. The mass of the water in the capillary is 5 g. Another capillary tube of radius 2r is immersed in water. The mass of water that will rise in this tube is:
  - (1) 5.0 g
  - (2) $10.0\,\mathrm{g}$
  - (3) $20.0\,\mathrm{g}$
  - (4) 2.5 g
- 110. In Young's double slit experiment, if the separation between coherent sources is halved and the distance of the screen from the coherent sources is doubled, then the fringe width becomes:
  - (1) half
  - (2)four times
  - (3)one-fourth
  - (4) double


For the logic circuit shown, the truth table is:



- (1) B Y Α 0 0 0 0 1 1
  - 1 1
- 1 1 Y (2)Α

1

- 0 0 1 0 1 1
  - 1 1
- 1 (3)A В Y
- 0 0 1
  - 1 0 1
- 1 1 0 (4) В A Y
  - 0 0
    - 1 0
  - 1 1 1
- The color code of a resistance is given below: 112.



The values of resistance and tolerance, respectively. are:

- **(1)**  $47 \text{ k}\Omega$ , 10%
- (2) $4.7 \text{ k}\Omega$ , 5%
- (3)  $470 \Omega, 5\%$
- (4)  $470 \text{ k}\Omega$ , 5%
- 113. The capacitance of a parallel plate capacitor with air as medium is 6 µF. With the introduction of a dielectric medium, the capacitance becomes 30 µF. The permittivity of the medium is:

$$(\epsilon_0 = 8.85 \times 10^{-12} \text{ C}^2 \text{ N}^{-1} \text{ m}^{-2})$$

- $1.77 \times 10^{-12} \,\mathrm{C}^2 \,\mathrm{N}^{-1} \,\mathrm{m}^{-2}$
- $0.44 \times 10^{-10} \, \mathrm{C^2 \, N^{-1} \, m^{-2}}$
- $5.00 C^2 N^{-1} m^{-2}$
- $0.44 \times 10^{-13} \, \mathrm{C}^2 \, \mathrm{N}^{-1} \, \mathrm{m}^{-2}$

- 114. A ball is thrown vertically downward with a velocity of 20 m/s from the top of a tower. It hits the ground after some time with a velocity of 80 m/s. The height of the tower is:  $(g=10 \text{ m/s}^2)$ 
  - (1) 340 m
  - (2) 320 m
  - (3) 300 m
  - (4) 360 m
- 115. A body weighs 72 N on the surface of the earth. What is the gravitational force on it, at a height equal to half the radius of the earth?
  - (1) 32 N
  - (2) 30 N
  - (3) 24 N
  - (4) 48 N
- 116. Two particles of mass 5 kg and 10 kg respectively are attached to the two ends of a rigid rod of length 1 m with negligible mass.

The centre of mass of the system from the 5 kg particle is nearly at a distance of:

- (1) 50 cm
- (2) 67 cm
- (3) 80 cm
- (4) 33 cm
- 117. The increase in the width of the depletion region in a p-n junction diode is due to:
  - (1) reverse bias only
  - (2) both forward bias and reverse bias
  - (3) increase in forward current
  - (4) forward bias only
- 118. Light of frequency 1.5 times the threshold frequency is incident on a photosensitive material. What will be the photoelectric current if the frequency is halved and intensity is doubled?
  - (1) four times
  - (2) one-fourth
  - (3) zero
  - (4) doubled
- 119. Assume that light of wavelength 600 nm is coming from a star. The limit of resolution of telescope whose objective has a diameter of 2 m is:
  - (1)  $1.83 \times 10^{-7}$  rad
  - (2)  $7.32 \times 10^{-7} \text{ rad}$
  - (3)  $6.00 \times 10^{-7} \text{ rad}$
  - (4)  $3.66 \times 10^{-7} \text{ rad}$


- 120. A resistance wire connected in the left gap of a metre bridge balances a 10  $\Omega$  resistance in the right gap at a point which divides the bridge wire in the ratio 3:2. If the length of the resistance wire is 1.5 m, then the length of 1  $\Omega$  of the resistance wire is:
  - (1)  $1.0 \times 10^{-1} \,\mathrm{m}$
  - (2)  $1.5 \times 10^{-1} \,\mathrm{m}$
  - (3)  $1.5 \times 10^{-2} \,\mathrm{m}$
  - (4)  $1.0 \times 10^{-2} \,\mathrm{m}$
- 121. Light with an average flux of 20 W/cm² falls on a non-reflecting surface at normal incidence having surface area 20 cm². The energy received by the surface during time span of 1 minute is:
  - (1)  $12 \times 10^3 \,\text{J}$
  - (2)  $24 \times 10^3 \,\text{J}$
  - (3)  $48 \times 10^3 \,\text{J}$
  - (4)  $10 \times 10^3 \,\mathrm{J}$
- 122. A ray is incident at an angle of incidence i on one surface of a small angle prism (with angle of prism A) and emerges normally from the opposite surface. If the refractive index of the material of the prism is μ, then the angle of incidence is nearly equal to:
  - (1)  $\frac{2A}{\mu}$
  - (2) µA
  - $(3) \qquad \frac{\mu A}{2}$
  - $(4) \qquad \frac{A}{2\mu}$
- 123. A 40  $\mu F$  capacitor is connected to a 200 V, 50 Hz ac supply. The rms value of the current in the circuit is, nearly:
  - (1) 2.05 A
  - (2) 2.5 A
  - (3) 25.1 A
  - (4) 1.7 A
- 124. Dimensions of stress are:
  - (1)  $[ML^2T^{-2}]$
  - (2)  $[ML^0T^{-2}]$
  - (3)  $[ML^{-1}T^{-2}]$
  - $(4) \qquad [MLT^{-2}]$
- 125. The Brewsters angle  $i_b$  for an interface should be:
  - (1)  $30^{\circ} < i_b < 45^{\circ}$
  - (2)  $45^{\circ} < i_b < 90^{\circ}$
  - (3)  $i_b = 90^{\circ}$
  - (4)  $0^{\circ} < i_b < 30^{\circ}$


- 126. A wire of length L, area of cross section A is hanging from a fixed support. The length of the wire changes to  $L_1$  when mass M is suspended from its free end. The expression for Young's modulus is:
  - $(1) \qquad \frac{Mg(L_1-L)}{AL}$
  - (2)  $\frac{\text{MgL}}{\text{AL}_1}$
  - (3)  $\frac{MgL}{A(L_1 L)}$
  - $(4) \qquad \frac{\text{MgL}_1}{\text{AL}}$
- 127. A short electric dipole has a dipole moment of  $16 \times 10^{-9}$  C m. The electric potential due to the dipole at a point at a distance of 0.6 m from the centre of the dipole, situated on a line making an angle of 60° with the dipole axis is:


$$\left(\frac{1}{4\pi\epsilon_0} = 9 \times 10^9 \text{ N m}^2/\text{C}^2\right)$$


- (1) 200 V
- (2) 400 V
- (3) zero
- (4) 50 V
- 128. In a guitar, two strings A and B made of same material are slightly out of tune and produce beats of frequency 6 Hz. When tension in B is slightly decreased, the beat frequency increases to 7 Hz. If the frequency of A is 530 Hz, the original frequency of B will be:
  - (1) 524 Hz
  - (2) 536 Hz
  - (3) 537 Hz
  - (4) 523 Hz
- 129. An electron is accelerated from rest through a potential difference of V volt. If the de Broglie wavelength of the electron is  $1.227 \times 10^{-2}$  nm, the potential difference is:
  - (1)  $10^2 \, \text{V}$
  - (2) 10<sup>3</sup> V
  - (3)  $10^4 \, \text{V}$
  - (4) 10 V

- 130. The solids which have the negative temperature coefficient of resistance are:
  - (1) insulators only
  - (2) semiconductors only
  - (3) insulators and semiconductors
  - (4) metals
- 131. The energy required to break one bond in DNA is  $10^{-20}$  J. This value in eV is nearly:
  - (1) 0.6
  - (2) 0.06
  - (3) 0.006
  - (4) 6
- 132. The quantities of heat required to raise the temperature of two solid copper spheres of radii  $r_1$  and  $r_2$  ( $r_1 = 1.5$   $r_2$ ) through 1 K are in the ratio:
  - (1)  $\frac{9}{4}$
  - (2)  $\frac{3}{2}$
  - (3)  $\frac{5}{3}$
  - (4)  $\frac{27}{8}$
- 133. Which of the following graph represents the variation of resistivity ( $\rho$ ) with temperature (T) for copper?









- 134. For transistor action, which of the following statements is correct?
  - Base, emitter and collector regions should have same size.
  - (2) Both emitter junction as well as the collector junction are forward biased.
  - (3) The base region must be very thin and lightly doped.
  - (4) Base, emitter and collector regions should have same doping concentrations.
- 135. For which one of the following, Bohr model is **not** valid?
  - (1) Singly ionised helium atom (He +)
  - (2) Deuteron atom
  - (3) Singly ionised neon atom (Ne<sup>+</sup>)
  - (4) Hydrogen atom
- 136. What is the change in oxidation number of carbon in the following reaction?

$$CH_4(g) + 4Cl_2(g) \rightarrow CCl_4(l) + 4HCl(g)$$

- (1) 0 to +4
- (2) -4 to +4
- (3) 0 to -4
- (4) + 4 to + 4
- 137. On electrolysis of dil.sulphuric acid using Platinum (Pt) electrode, the product obtained at anode will be:
  - (1) Oxygen gas
  - (2) H<sub>2</sub>S gas
  - (3) SO<sub>2</sub> gas
  - (4) Hydrogen gas
- 138. An increase in the concentration of the reactants of a reaction leads to change in:
  - (1) heat of reaction
  - (2) threshold energy
  - (3) collision frequency
  - (4) activation energy

- 139. Reaction between benzaldehyde and acetophenone in presence of dilute NaOH is known as:
  - (1) Cannizzaro's reaction
  - (2) Cross Cannizzaro's reaction
  - (3) Cross Aldol condensation
  - (4) Aldol condensation
- 140. Which of the following alkane cannot be made in good yield by Wurtz reaction?
  - (1) 2,3-Dimethylbutane
  - (2) n-Heptane
  - (3) n-Butane
  - (4) n-Hexane
- 141. Which of the following is a natural polymer?
  - (1) poly (Butadiene-styrene)
  - (2) polybutadiene
  - (3) poly (Butadiene-acrylonitrile)
  - (4) cis-1,4-polyisoprene
- 142. A mixture of  $N_2$  and Ar gases in a cylinder contains 7 g of  $N_2$  and 8 g of Ar. If the total pressure of the mixture of the gases in the cylinder is 27 bar, the partial pressure of  $N_2$  is:

[Use atomic masses (in g mol<sup>-1</sup>): N = 14, Ar = 40]

- (1) 12 bar
- (2) 15 bar
- (3) 18 bar
- (4) 9 bar
- 143. Match the following and identify the correct option.
  - (a)  $CO(g) + H_2(g)$
- (i)  $Mg(HCO_3)_2 + Ca(HCO_3)_2$
- (b) Temporary hardness of water
- (ii) An electron deficient hydride
- (c)  $B_2H_6$
- (iii) Synthesis gas
- (d)  $H_2O_2$
- (iv) Non-planar structure
- (a) (b) (c) (d)
- (1) (iii) (ii) (iv)
- (2) (iii) (iv) (ii) (i)
- (3) (i) (iii) (ii) (iv)
- (4) (iii) (i) (ii) (iv)

- 144. For the reaction,  $2Cl(g) \rightarrow Cl_2(g)$ , the correct option is:
  - (1)  $\Delta_r H > 0$  and  $\Delta_r S < 0$
  - (2)  $\Delta_r H < 0$  and  $\Delta_r S > 0$
  - (3)  $\Delta_r H < 0$  and  $\Delta_r S < 0$
  - (4)  $\Delta_r H > 0$  and  $\Delta_r S > 0$
- 145. An element has a body centered cubic (bcc) structure with a cell edge of 288 pm. The atomic radius is:
  - $(1) \qquad \frac{\sqrt{2}}{4} \times 288 \text{ pm}$
  - $(2) \qquad \frac{4}{\sqrt{3}} \times 288 \text{ pm}$
  - (3)  $\frac{4}{\sqrt{2}} \times 288 \text{ pm}$
  - (4)  $\frac{\sqrt{3}}{4} \times 288 \text{ pm}$
- 146. Urea reacts with water to form A which will decompose to form B. B when passed through  $Cu^{2+}$  (aq), deep blue colour solution C is formed. What is the formula of C from the following?
  - (1)  $[Cu(NH_3)_4]^{2+}$
  - (2) Cu(OH)<sub>2</sub>
  - (3) CuCO<sub>3</sub>·Cu(OH)<sub>2</sub>
  - (4) CuSO<sub>4</sub>
- 147. Reaction between acetone and methylmagnesium chloride followed by hydrolysis will give:
  - (1) Sec. butyl alcohol
  - (2) Tert. butyl alcohol
  - (3) Isobutyl alcohol
  - (4) Isopropyl alcohol
- 148. The following metal ion activates many enzymes, participates in the oxidation of glucose to produce ATP and with Na, is responsible for the transmission of nerve signals.
  - (1) Copper
  - (2) Calcium
  - (3) Potassium
  - (4) Iron

- 149. The number of protons, neutrons and electrons in  $^{175}_{71}$ Lu , respectively, are :
  - (1) 104, 71 and 71
  - (2) 71, 71 and 104
  - (3) 175, 104 and 71
  - (4) 71, 104 and 71
- 150. Which of the following set of molecules will have zero dipole moment?
  - Boron trifluoride, hydrogen fluoride, carbon dioxide, 1,3-dichlorobenzene
  - (2) Nitrogen trifluoride, beryllium difluoride, water, 1,3-dichlorobenzene
  - (3) Boron trifluoride, beryllium difluoride, carbon dioxide, 1,4-dichlorobenzene
  - (4) Ammonia, beryllium difluoride, water, 1,4-dichlorobenzene
- 151. Identify a molecule which does not exist.
  - (1) Li<sub>2</sub>
  - (2) C<sub>2</sub>
  - (3) O<sub>2</sub>
  - (4) He<sub>2</sub>
- 152. Identify the incorrect match.

#### Name


#### **IUPAC Official Name**

- (a) Unnilunium
- (i) Mendelevium
- (b) Unniltrium
- (ii) Lawrencium
- (c) Unnilhexium
- (iii) Seaborgium
- (d) Unununnium
- (iv) Darmstadtium
- (1) (b), (ii)
- (2) (c), (iii)
- (3) (d), (iv)
- (4) (a), (i)
- 153. The rate constant for a first order reaction is  $4.606 \times 10^{-3} \text{ s}^{-1}$ . The time required to reduce 2.0 g of the reactant to 0.2 g is:
  - (1) 200 s
  - (2) 500 s
  - (3) 1000 s
  - (4) 100 s

- 154. Identify the correct statement from the following:
  - (1) Blister copper has blistered appearance due to evolution of  ${
    m CO}_2$ .
  - (2) Vapour phase refining is carried out for Nickel by Van Arkel method.
  - (3) Pig iron can be moulded into a variety of shapes.
  - (4) Wrought iron is impure iron with 4% carbon.
- 155. Measuring Zeta potential is useful in determining which property of colloidal solution?
  - (1) Solubility
  - (2) Stability of the colloidal particles
  - (3) Size of the colloidal particles
  - (4) Viscosity
- 156. Which of the following oxoacid of sulphur has -O-O-linkage?
  - (1) H<sub>2</sub>SO<sub>4</sub>, sulphuric acid
  - (2) H<sub>2</sub>S<sub>2</sub>O<sub>8</sub>, peroxodisulphuric acid
  - (3)  $H_2S_2O_7$ , pyrosulphuric acid
  - (4) H<sub>2</sub>SO<sub>3</sub>, sulphurous acid
- 157. Elimination reaction of 2-Bromo-pentane to form pent-2-ene is:
  - (a) β-Elimination reaction
  - (b) Follows Zaitsev rule
  - (c) Dehydrohalogenation reaction
  - (d) Dehydration reaction
  - (1) (a), (c), (d)
  - (2) (b), (c), (d)
  - (3) (a), (b), (d)
  - (4) (a), (b), (c)

- 158. Identify the correct statements from the following:
  - (a) CO<sub>2</sub>(g) is used as refrigerant for ice-cream and frozen food.
  - (b) The structure of  $C_{60}$  contains twelve six carbon rings and twenty five carbon rings.
  - (c) ZSM-5, a type of zeolite, is used to convert alcohols into gasoline.
  - (d) CO is colorless and odourless gas.
  - (1) (a) and (c) only
  - (2) (b) and (c) only
  - (3) (c) and (d) only
  - (4) (a), (b) and (c) only
- 159. An alkene on ozonolysis gives methanal as one of the product. Its structure is:

(2) 
$$CH_2 - CH = CH_2$$



(4) 
$$CH = CH - CH_3$$

160.	Paper cl	hromatograph	v is an	examp	e of	
~~~	I upor o	m omaco Brapi	ij io ali	CAGIII	LC OI	

- (1) Partition chromatography
- (2) Thin layer chromatography
- (3) Column chromatography
- (4) Adsorption chromatography

#### 161. Match the following:

	Oxide		Nature
(a)	CO	(i)	Basic
(b)	BaO	(ii)	Neutral
(c)	$Al_2O_3$	.(iii)	Acidic
(d)	$Cl_2O_7$	(iv)	Amphoteric

Which of the following is correct option?

- (a) (b) (c) (d)
- (1) (ii) (i) (iv) (iii)
- (2) (iii) (iv) (i) (ii)
- (3) (iv) (iii) (ii) (i)
- (4) (i) (ii) (iii) (iv)

## 162. Which one of the followings has maximum number of atoms?

- (1) 1 g of Mg(s) [Atomic mass of Mg = 24]
- (2)  $1 \text{ g of } O_2(g) \text{ [Atomic mass of } O = 16]$
- (3) 1 g of Li(s) [Atomic mass of Li = 7]
- (4) 1 g of Ag(s) [Atomic mass of Ag = 108]

#### 163. Which of the following is a basic amino acid?

- (1) Alanine
- (2) Tyrosine
- (3) Lysine
- (4) Serine

## 164. The calculated spin only magnetic moment of Cr<sup>2+</sup> ion is:

- (1) 4.90 BM
- (2) 5.92 BM
- (3) 2.84 BM
- (4) 3.87 BM

- 165. Sucrose on hydrolysis gives:
  - (1)  $\alpha$ -D-Glucose +  $\beta$ -D-Glucose
  - (2)  $\alpha$ -D-Glucose +  $\beta$ -D-Fructose
  - (3)  $\alpha$ -D-Fructose +  $\beta$ -D-Fructose
  - (4)  $\beta$ -D-Glucose +  $\alpha$ -D-Fructose

## 166. The mixture which shows positive deviation from Raoult's law is:

- (1) Benzene + Toluene
- (2) Acetone + Chloroform
- (3) Chloroethane + Bromoethane
- (4) Ethanol + Acetone

#### 167. A tertiary butyl carbocation is more stable than a secondary butyl carbocation because of which of the following?

- (1) + R effect of − CH<sub>3</sub> groups
- (2) R effect of CH<sub>3</sub> groups
- (3) Hyperconjugation
- (4) I effect of CH<sub>3</sub> groups

# 168. Find out the solubility of Ni(OH)<sub>2</sub> in 0.1 M NaOH. Given that the ionic product of Ni(OH)<sub>2</sub> is $2 \times 10^{-15}$ .

- (1)  $2 \times 10^{-8} \,\mathrm{M}$
- (2)  $1 \times 10^{-13} \,\mathrm{M}$
- (3)  $1 \times 10^8 \,\mathrm{M}$
- (4)  $2 \times 10^{-13} \,\mathrm{M}$

#### 169. Which of the following is a cationic detergent?

- (1) Sodium stearate
- (2) Cetyltrimethyl ammonium bromide
- (3) Sodium dodecylbenzene sulphonate
- (4) Sodium lauryl sulphate

# 170. The freezing point depression constant $(K_f)$ of benzene is 5.12 K kg mol<sup>-1</sup>. The freezing point depression for the solution of molality 0.078 m containing a non-electrolyte solute in benzene is (rounded off upto two decimal places):

- (1) 0.80 K
- (2) 0.40 K
- (3) 0.60 K
- (4) 0.20 K

#### 171. Identify the incorrect statement.

- (1) The transition metals and their compounds are known for their catalytic activity due to their ability to adopt multiple oxidation states and to form complexes.
- (2) Interstitial compounds are those that are formed when small atoms like H, C or N are trapped inside the crystal lattices of metals.
- (3) The oxidation states of chromium in  $CrO_4^{2-}$  and  $Cr_2O_7^{2-}$  are not the same.
- (4)  $\operatorname{Cr}^{2+}(d^4)$  is a stronger reducing agent than  $\operatorname{Fe}^{2+}(d^6)$  in water.

## 172. Which of the following is **not** correct about carbon monoxide?

- (1) It reduces oxygen carrying ability of blood.
- (2) The carboxyhaemoglobin (haemoglobin bound to CO) is less stable than oxyhaemoglobin.
- (3) It is produced due to incomplete combustion.
- (4) It forms carboxyhaemoglobin.

## 173. Hydrolysis of sucrose is given by the following reaction.

$$\mathbf{Sucrose} + \mathbf{H_2O} \mathop{\Longrightarrow}\limits_{} \mathbf{Glucose} + \mathbf{Fructose}$$

If the equilibrium constant  $(K_c)$  is  $2\times 10^{13}$  at 300 K, the value of  $\Delta_r G^\ominus$  at the same temperature will be :


- (1)  $8.314 \,\mathrm{J}\,\mathrm{mol}^{-1}\mathrm{K}^{-1} \times 300 \,\mathrm{K} \times \ln(2 \times 10^{13})$
- (2)  $8.314 \,\mathrm{J}\,\mathrm{mol}^{-1}\mathrm{K}^{-1} \times 300 \,\mathrm{K} \times \ln(3 \times 10^{13})$
- (3)  $-8.314 \,\mathrm{J}\,\mathrm{mol}^{-1}\mathrm{K}^{-1}\times300\,\mathrm{K}\times\ln(4\times10^{13})$
- (4)  $-8.314 \,\mathrm{J}\,\mathrm{mol}^{-1}\mathrm{K}^{-1}\times300\,\mathrm{K}\times\ln(2\times10^{13})$


# 174. Which of the following is the **correct** order of increasing field strength of ligands to form coordination compounds?

- (1)  $SCN^- < F^- < CN^- < C_2O_4^{2-}$
- (2)  $F^- < SCN^- < C_2O_4^{2-} < CN^-$
- (3)  $CN^- < C_2O_4^{2-} < SCN^- < F^-$
- (4)  $SCN^- < F^- < C_2O_4^{2-} < CN^-$

## 175. Identify compound X in the following sequence of reactions:

$$CH_3 \longrightarrow X \xrightarrow{CHO} X \xrightarrow{H_2O} X$$





## 176. The correct option for free expansion of an ideal gas under adiabatic condition is:

- (1)  $q = 0, \Delta T < 0 \text{ and } w > 0$
- (2)  $q < 0, \Delta T = 0 \text{ and } w = 0$
- (3)  $q > 0, \Delta T > 0 \text{ and } w > 0$
- (4)  $q = 0, \Delta T = 0 \text{ and } w = 0$


- 177. The number of Faradays(F) required to produce 20 g of calcium from molten CaCl<sub>2</sub> (Atomic mass of Ca = 40 g mol<sup>-1</sup>) is:
  - (1) 2
  - (2) 3
  - (3) 4
  - (4) 1
- 178. HCl was passed through a solution of CaCl<sub>2</sub>, MgCl<sub>2</sub> and NaCl. Which of the following compound(s) crystallise(s)?
  - (1) Only NaCl
  - (2) Only MgCl<sub>2</sub>
  - (3) NaCl, MgCl2 and CaCl2
  - (4) Both MgCl<sub>2</sub> and CaCl<sub>2</sub>
- 179. Anisole on cleavage with HI gives:

(1) 
$$+ CH_3OH$$

(2) 
$$C_2H_5I$$

$$(3) \qquad \begin{array}{c} \\ \\ \\ \end{array} + C_2 H_5 OH \end{array}$$

180. Which of the following amine will give the carbylamine test?



- o O o -